Abdominal & Pelvic Ultrasound: Scheduling Guide & Exam Codes

Last Modified on 08/21/2025 12:07 pm EDT



Abdominal/Pelvic Ultrasound: Scheduling Guide & Exam Codes

Purpose: This guide provides accurate scheduling support for Abdominal and Pelvic Ultrasound exams across all Washington Radiology locations. Use this resource to confirm **exam type**, **location restrictions**, **patient prep**, and **important scheduling reminders**.

Location Availability Summary:

- DC (K Street)
- · Chevy Chase
- Bethesda
- Fairfax
- Sterling

Female Cycle Date Rules:

Female Cycle Guidelines for Pelvic Complete and Sonohysterogram Exams:

- Day 1 = First day bleeding starts
- Normal Cycles: Schedule between days 7-10
- Irregular Cycles: Patient should call on Day 1 of her period; then schedule between days 7-10
- Continuous Bleeding or Post-Menopausal Bleeding (PMB): Schedule any time

Quick Reference: Exam Types & Guidelines

Exam	Exam Description	When to Use	Location(s) & Rules	Prep & Notes
Code	Exam Bescription	When to osc	Location(3) a Naics	r rep a riotes

2	Ultrasound Abdominal Complete	If reason for exam is Pyloric Stenosis (schedule with Dr. Johnson in Bethesda ONLY) Transfer to Center if reason for exam is: Floating Rib (scheduled with Dr. Allison in DC or Fairfax ONLY)	
407	Ultrasound Abdominal Aorta		AM Appt Exam Prep: Nothing to eat or drink after midnight the night before the exam PM Appt Exam Prep: Nothing to eat or drink beginning 6 hours before the exam.
????	Ultrasound Abdominal Aorta Screen		AM Appt Exam Prep: Nothing to eat or drink after midnight the night before the exam PM Appt Exam Prep: Nothing to eat or drink beginning 6 hours before the exam.

AM Appt Exam Prep: Do not eat or drink after midnight the
after midnight the
night before the exam.
Drink 16 oz. of water
only, 2 hours before
the exam. Please do
not empty your
bladder until the exam
is complete.
PM Appt Exam Prep:
Do not eat or drink
starting 6 hours
under before the exam.
Drink 16 oz. of water
only, 2 hours before
the exam. Please do
not empty your
bladder until the exam
is complete.
Patients UNDER 17:
Drink 16-21 oz. of
water, 1 hour before
the exam. Please do
not empty your
bladder until the exam
is complete.

432	Ultrasound Pelvic Non-OB with Transvaginal Doppler (Transabdominal & Transvaginal)	AKA: Pelvic Complete Abnormal bleeding, breakthrough or mid-cycle bleeding, rule out polyps, endometrial lining abnormalities, menorrhagia, ovarian cysts, fibroids, amenorrhea, post-menopausal bleeding, sacrum, pelvic pain, groin, follicle count, etc.	If patient is under the age of 12 Female Patients: Cycle date does NOT apply. This exam can be scheduled any time. Female Patients: Cycle date matters.	Prep: Drink 32 oz. of water, 1 hour before the exam. Please do not empty your bladder until the exam is complete. Patients UNDER 17: Drink 16-21 oz. of water, 1 hour before the exam.
66	Hysterosonogram	AKA: Sonohysterogram Review female organs to address concerns such as unexplained vaginal bleeding, infertility, and repeated miscarriages	This exam is NOT the same as a Hysterosalpingogram, please confirm the reason for the exam. If the reason for exam is to evaluate for blockages of the fallopian tubes, DO NOT schedule this exam. DC APPOINTMENTS ONLY: Forward the call to x1220, if you reach voicemail, email Leadership and the patient will receive a return call to schedule	Prep: Drink 32 oz. of water, 1 hour before the exam. Please do not empty your bladder until the exam is complete.